9500277

## ATTUR UNIVERD STAMBES: OFFAMIRERIOS

TO ALL TO WHOM THESE PRESENTS SHALL COME:

# Asgrob Seed Company

MOTORS, THERE HAS BEEN PRESENTED TO THE

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE O EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR PORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE VE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT ED BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'A3313'

In Testimony Mexcet, I have hereunto sel my hand and caused the seal of the Mant Anxiety Heretection Office to be affixed at the City of Washington, D.C. this thirty-first day of January in the year of our Lord one thousand nine hundred and ninety-seven.

Plant Variety Protection Office

11. IF INCORPORATED, GIVE STATE OF INCORPORATION 13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS 16. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow instructions on reverse) 17. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY, AS A CLASS OF CERTIFIED SEED? (See Section 83(a) of the Plant Variety Protection Acti? 18. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF 20. HAS THE VARIETY OR A HYBRID PRODUCED FROM THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR MARKETED IN THE U.S. OR OTHER COUNTRIES? Applicant(s) is(are) informed that faise representation herein can jeopardize protection and result in penalties Chyne NAME (Please print or type) Wayne L. Hoener Alan K. Walker CAPACITY OR TITLE CAPACITY OR TITLE Soybean Product Manager Director of Soybean Research \$D-470 (04-95) (Previous editions are to be destroyed)

#### EXHIBIT A

#### ORIGIN AND BREEDING HISTORY OF A3313

- 1986 Cross made in 1986.
  Parentage: A2234/A3935
- 1986-87 F1 and F2 generations grown at Isabella, Puerto Rico. (winter)
  - 1987 F3 population grown at Ames, Iowa. Three-hundred plants selected from bulk population and threshed individually.
  - 1988 Progeny row J861418 J88-10987 selected for its uniformity and standability. The row was harvested in bulk and seed coat luster and hilum color noted. In September 1988, J861418 J88-10987 was determined to be a stable, unique line.
  - 1989 J861418 J88-10987 was entered in the Preliminary II Yield Test P290 and grown at Ames, Iowa, Oxford, Indiana and Stonington, Illinois. J88-10987 was tested for Phytophthora root rot resistance and found to be resistant to race 1.
  - 1990 J861418 J88-10987 was entered into the S305 Strain Yield Test grown at 9 locations including: Nevada, Iowa; Champaign, Farmer City, Monmouth and Tuscola, Illinois; Muncie and Oxford, Indiana; Kearny, Nebraska; and New Hampshire, Ohio.

J861418 J88-10987 was selected for it's yield and standability and assigned the experimental designation X3313.

1991 - X3313 was entered in advanced yield tests grown at 21 locations across the midwest.

X3313 was selected for it's yield and standability and renamed XR3313.

1992 - XR3313 was entered in advanced yield tests grown at 19 locations.

continued...

#### Exhibit A continued...

XR3313 was tested for Phytophthora root rot resistance and found to be resistant to races 1-5, 7-14, 17, 19, 20, 21, 24.

Breeder Seed of XR3313 grown at Stonington, IL. and Oxford, IN.

XR3313 was selected for it's yield and standability and renamed XP3313.

1993 - XP3313 was entered in advanced yield tests grown at 21 locations.

Foundation Seed of XP3313 was produced at Perry, IA.

XP3313 was nominated for release and production and designated A3313.

A3313 is uniform and stable within commercially acceptable limits based on trial observations since its development in 1988. As with other soybean varieties, variants can occur for almost any trait during the course of repeated sexual reproduction.

#### EXHIBIT B

#### NOVELTY STATEMENT CONCERNING A3313 SOYBEAN

To our knowledge the soybean varieties that most closely resemble A3313 are A3127, A3237, A3322, Resnik, Pella 86, P9331, P9341, and P9342. Characteristics which differentiate A3313 include, but are not restricted to the following:

	Flower Color	a PRR Pe	<u>roxidase</u>	b No. Of Days <u>Maturity</u>
A3313	Purple	Rpslk Rps7	High	126
A3127	Purple	rps		
A3237	Purple	Rps1k	Low	
A3322	White	Rps1c		
Resnik	Purple	Rps1k	High	124
Pella 86	Purple	Rps1k	Low	
P9331	Purple	Rps1c		
P9341	White	rps		
P9342	White	Rps1k		

- a.) Gene for resistance to Phytophthora megasperma f.sp. glycinea.
- b.) Based on comparisons at 4 IL., 2 IN., 1 MD., locations.
  (LSD = .762 days)

20 MMP IX

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

EXHIBIT C (Soybean)

Page 1 of 4

# OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

SOTBEA	AN (Giyeine illax L.)		
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME	
Asgrow Seed Company	XP3313	A3313	· ·
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Cod	e)	FOR OFFIC	IAL USE ONLY
9638-190-23 Gull Road Bldg 190 Ka Kalamazoo. MI 49001		950 950	0277
Choose the appropriate response which characterizes the var	iety in the features described	below. When the num	ber of significant digit
in your answer is fewer than the number of boxes provided, Starred characters * are considered fundamental to an adequate when information-is available.	place a zero in the first box w sate soybean variety description	hen number is 9 or les on. Other characters si	s (e.g., 0 9). hould be described
	•		
1. SEED SHAPE:    2	T   2 = Spherical Flattened (4 = Elongate Flattened (	L/W ratio > 1.2; L/T rat L/T ratio > 1.2; T/W >	
★ 2. SEED COAT COLOR: (Mature Seed)			
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (	Specify)	
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)			· · · · · · · · · · · · · · · · · · ·
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	y'; 'Gasoy 17')	•	
★ 4. SEED SIZE: (Mature Seed)			
1 5 Grams per 100 seeds			·
★ 5. HILUM COLOR: (Mature Seed)			
6 1 = Buff 2 = Yellow 3 = Brown 4	= Gray 5 = Imperfect Black	k 5 = Black	7 = Other (Specify)
★ 6. COTYLEDON COLOR: (Mature Seed)		<del></del>	
1 1 = Yellow 2 = Green			
★ 7. SEED PROTEIN PEROXIDASE ACTIVITY:			
2 1 = Low 2 = High			
8. SEED PROTEIN ELECTROPHORETIC BAND:			
1 = Type A (SP1 <sup>a</sup> ) 2 = Type B (SP1 <sup>b</sup> )			
♥ 9. HYPOCOTYL COLOR:			
	bronze band below cotyledons ('V	Voodworth'; 'Tracy')	
10. LEAFLET SHAPE:			
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)		

FORM LMGS 470 57 (6-83)

(Edition of 2-82 is obsolete.)

` 11.	LEAF	LET SIZE:	
	2	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Medium ('Corsoy 79'; 'Gasoy 17')
12.	LEAF	COLOR:	
	3	1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Medium Green ('Corsoy 79'; 'Braxton')
13.	FLOW	ER COLOR:	
	2	1 = White 2 = Purple	3 = White with purple throat
14.	POD C	COLOR:	
	1	1 = Tan 2 = Brown	3 = Black
15.	PLAN	T PUBESCENCE COLOR:	
	2	1 = Gray 2 = Brown (Tawny)	
16.	PLAN	T TYPES:	
	2	1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate ('Amcor'; 'Braxton')
17.	PLANT	F HABIT:	·
	3	1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Pelic	2 = Semi-Determinate ('Will') can')
18.	MATU	RITY GROUP:	
0	6	1 = 000	4 = I 5 = II 6 = III 7 = IV 8 = V 12 = IX 13 = X
10.	DICEA	25 05 05 05 05 05 05 05 05 05 05 05 05 05	
19, 1		SE REACTION: (Enter 0 = Not Tested; 1 = Su	sceptible; 2 = Resistant)
		ERIAL DISEASES:	
*		Bacterial Pustule (Xanthomonas phaseoli var.	sojensis)
*	0	Bacterial Blight (Pseudomonas glycinea)	
*	0	Wildfire (Pseudomonas tabaci)	
F	UNGA	AL DISEASES:	
*	Ö	Brown Spot (Septoria glycines)	
		Frogeye Leaf Spot (Cercospora sojina)	
*		Race 1 0 Race 2 0 Race	
	0	Target Spot (Corynespora cassiicola)	
		Downy Mildew (Peronospora trifoliorum var.	manshurica)
l	0	Powdery Mildew (Microsphaera diffusa)	
*	0	Brown Stem Rot (Cephalosporium gregatum)	
	0	Stem Canker (Diaporthe phaseolorum var. cau	livora)

FORM LMGS-470-57 (6-83)

19	. DISEA	SE REACTIO	N: (Enter 0 = Not 1	ested; 1 = Susceptible; 2	= Resistant) (Continued)					
	FUN	IGAL DISEA	SES: (Continued)							
*		Pod and Sto	and Stem Blight (Diaporthe phaseolorum var; sojae)							
	0	Purple Seed	Stain <i>(Cercospora k</i>	ikuchii)						
	0	Rhizoctonia	Root Rot (Rhizocte	onia solani)						
		Phytophtho	ophthora Rot (Phytophthora megasperma var. sojae)							
*	2									
	2									
	VIRA	L DISEASES	<b></b>				_			
	0		Tobacco Ringspot V	irus)						
			aic (Bean Yellow Mo:		•					
*			aic (Cowpea Chlorot							
, .				·						
<b>.</b>			Bean Pod Mottle Vir							
*			(Soybean Mosaic Vir	us)		·				
	NEMA	ATODE DISE								
_4.		Soybean Cys	t Nematode (Heterod	dera glycines)	J	•				
*		Race 1	() Race 2	1 Race 3 0	Race 4 1 Other	(Specify) Race 14				
	لما	Lance Nema	tode (Hoplolaimus Co	plombus)						
*		Southern Ro	ot Knot Nematode //	Meloidogyne incognita)						
*	0	Northern Ro	ot Knot Nematode (/	feloidogyne Hapla)						
		Peanut Root	Knot Nematode (Me.	loidogyne arenaria)						
	0	Reniform Ne	matode <i>(Rotylenchu</i>	lus reniformis)						
		OTHER DISE	ASE NOT ON FOR	M (Specify):						
20, F				= Not Tested; 1 = Suscep	rtible; 2 = Resistant)					
			s on Calcareous Soil							
				a a						
21. 1	NSECT I	REACTION:	(Enter 0 = Not Teste	d; 1 = Susceptible; 2 = Re	esistant)					
	片 '	Mexican Bean	Beetle (Epilachna va	rivestis)						
		Potato Leaf H	opper (Empoasca fal	pae)						
	0 0	Other <i>(Specif</i> )	//							
22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.										
	CHARA	CTER	NAME	OF VARIETY	CHARACTER	NAME OF VARIETY				
PI	ant Shap	e	A3237	gar, sec.	Seed Coat Luster	A3322				
Le	af Shape		A3935	HE:	Seed Size	A3935				
	af Color		A3322		Seed Shape	A3237				
Le	af Size		A3935		Seedling Pigmentation	A3237				
					•					

## 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
A33113	126	1.4	87	7.5	11.5	41.0	20 4	15.1	3
A 3 2 3 7 Name of Similar Variety	125	1.6	85	8.0	10.5	41.0	21.0	15.6	3 .

### PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

71.9时 五.

EXHIBIT D

Additional Description of the Variety

A3313 is an early group III cultivar that possesses outstanding and consistent yields relative to other cultivars of similar maturity. A3313 combines the  $\mathrm{Rps_1}^k$   $\mathrm{Rps_7}$  gene for Phytophthora resistance with excellent standability and emergence.

de vie iv

### EXHIBIT E

### STATEMENT OF THE BASIS OF APPLICANT'S OWNERSHIP

A3313 was originated and developed by Craig K. Moots, Ph.D., an Asgrow Plant Breeder. By agreement between employee and Asgrow Seed Company, all rights to any invention, discovery, or development made by an employee are assigned to the Company. No rights to such invention, discovery, or development are retained by the employee.

aa we iy